

Issuing Date 12/10/2010

Revision date 12/6/2013

Revision Number 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product name	SULFURIC ACID, 1:1
Product Code(s)	6141
Recommended Use	Laboratory chemicals. Industrial (not for food or food contact use).
Company	LaMotte Company, Inc. 802 Washington Avenue P.O. Box 329 Chestertown, MD 21620 USA
Emergency telephone number	24 Hour Emergency Number (CHEM-TEL):USA, Canada, Puerto Rico 1-800-255-3924 Outside North American Continent (Call collect) 813-248-0585

2. HAZARDS IDENTIFICATION**DANGER POISON****EMERGENCY OVERVIEW**

Corrosive

Liquid and mist can cause severe burns to all body tissue
May be fatal if inhaled or swallowed

Water reactive

Appearance Clear, colorless**Physical state** liquid**Odor** odorless

OSHA Regulatory Status This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). Safety information is given for exposure to the reagent as sold and considers exposure to the chemical if user has direct eye and skin contact.

Potential health effects

Principle Routes of Exposure Inhalation, skin contact, and ingestion.

Acute toxicity**Eyes**

Corrosive to the eyes and may cause severe damage including blindness.

Skin

Corrosive. Can cause redness, pain, and severe skin burns. May discolor the skin. Harmful if absorbed through skin.

Inhalation

Poison - may be fatal if inhaled. Inhalation of corrosive mist may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate.

IngestionCorrosive. Causes burns. **MAY BE FATAL IF SWALLOWED.** Can cause immediate pain and burning in the mouth, throat, esophagus and GI tract. May cause nausea, vomiting, and diarrhea, and in severe cases death.**Chronic effects**

Chronic exposure to corrosive mists or vapors may cause erosion of the teeth. Chronic exposure to mists containing sulfuric acid is a cancer hazard.

Aggravated Medical Conditions Hypersensitivity may occur in those with preexisting skin disorders. Respiratory disorders. Preexisting eye disorders.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No	Weight %
Water	7732-18-5	to 100%
Sulfuric acid	7664-93-9	64

4. FIRST AID MEASURES

General advice Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapors/spray.

Eye contact Immediately flush eyes with gentle stream of water for at least 15 minutes, occasionally lifting upper and lower eyelids. Call a physician immediately.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes while removing all contaminated clothing and shoes. Excess acid on skin can be neutralized with a 2% solution of sodium bicarbonate in water. Call a physician immediately.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and contact emergency personnel. Call a physician immediately.

Ingestion Do NOT induce vomiting. Drink plenty of water. Clean mouth with water. Call a physician immediately. Never give anything by mouth to an unconscious person.

Protection of First-aiders Use personal protective equipment. See Section 8 for more detail. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

5. FIRE-FIGHTING MEASURES

Flammable properties Not flammable.

Flash point Not Applicable

Suitable extinguishing media Dry chemical or CO₂. DO NOT USE WATER.

Specific hazards arising from the chemical

Contact with most metals causes the formation of explosive and flammable hydrogen gas. React vigorously with water.

NFPA	Health hazard 3	flammability 0	Stability 2	Physical and Chemical Hazards W
HMIS	Health hazard 0	flammability 0	Stability 0	

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes, and inhalation of vapors. Use personal protective equipment. Refer to Section 8.

Methods for cleaning up Neutralize spill with alkaline material (sodium bicarbonate), being careful to prevent splattering, then containerize slurry and hold for later disposal. If local regulations permit, dilute slurry with water and rinse to drain with excess water. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Handling Handle in accordance with good industrial hygiene and safety practice. Prevent contact with skin, eyes, and clothing. Do not ingest. Do not eat, drink, or smoke when using this product.

Storage Keep containers tightly closed in a dry, cool, and well-ventilated place. Keep away from incompatible materials such as cyanides or sulfides. Store away from strong bases or metals. Do not store near combustible materials. Keep out of the reach of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Water 7732-18-5	None known	None known	None known
Sulfuric acid 7664-93-9	TWA: 0.2 mg/m ³	TWA: 1 mg/m ³	IDLH: 15 mg/m ³ TWA: 1 mg/m ³

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face Protection

Safety glasses with side-shields.

Skin and body protection

Wear protective gloves/clothing.

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear, colorless	Odor	odorless
Physical state	liquid	pH	<1
Flash point	Not Applicable	Autoignition temperature	Not Applicable
Boiling Point/Range	<100 °C / 214 °F	Flammability Limits in Air	Not Applicable
Specific gravity	~3.4 (water = 1)	Vapor pressure	No information available
Vapor density	No information available		

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions of use and storage.

Incompatible Products Water. Strong bases. Metals. Combustible materials. Cyanides. Sulfides. Formaldehyde.

Conditions to avoid Excessive heat. Incompatible products. Direct sunlight.

Hazardous decomposition products Hydrogen gas. Sulfur oxides (SO_x).

Hazardous Reactions Reacts violently with water. Contact with metals may evolve flammable hydrogen gas.

Hazardous polymerization Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	None known	None known	None known
Sulfuric acid	2140 mg/kg (Rat)	None known	510 mg/m ³ (Rat) 2 h

Chronic toxicity**Chronic toxicity**

Chronic exposure to corrosive mists or vapors may cause erosion of the teeth. Chronic exposure to mists containing sulfuric acid is a cancer hazard.

Chemical name	ACGIH	IARC	NTP	OSHA
Water	None known	None known	None known	None known
Sulfuric acid	A2	Group 1	Known	X

Chemical name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine disrupting potential
Water	None known	None known	None known
Sulfuric acid	None known	None known	None known

12. ECOLOGICAL INFORMATION

Ecotoxicity

The material may be toxic to aquatic life.

Chemical name	Toxicity to Algae	Toxicity to Fish	Microtox	Daphnia Magna (Water Flea)
Water	None known	None known	None known	None known
Sulfuric acid	None known	LC50> 500 mg/L Brachydanio rerio 96 h	None known	EC50 = 29 mg/L 24 h

Bioaccumulation/Accumulation

When released into the soil, this material may leach into ground water. When released into the air, this material may be removed from the atmosphere to a moderate extent by wet or dry deposition.

Chemical name	Log Pow
Water	None known
Sulfuric acid	None known

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method

Dispose according to federal, state, and local regulations. If permitted, neutralize reagent with sodium bicarbonate/sodium carbonate, add slurry to large volume of water to dilute, rinse to drain with excess water.

Chemical name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Water - 7732-18-5	None known	None known	None known	None known
Sulfuric acid - 7664-93-9	None known	None known	None known	None known

14. TRANSPORT INFORMATION

DOT

Proper shipping name	SULFURIC ACID (> 51%ACID)
Hazard Class	8
UN-No	1830
Packing group	II
Reportable Quantity (RQ)	1000

IATA

UN-No	1830
Proper shipping name	SULFURIC ACID (>51% ACID)
Hazard Class	8
Packing group	II

IMDG/IMO

Proper shipping name	SULFURIC ACID
Hazard Class	8
UN-No	1830
Packing group	II

15. REGULATORY INFORMATION

International Inventories

Component	TSCA	DSL	EINECS/ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Water 7732-18-5 (to 100%)	Present	X	X	ENCS	X	KE-35400	X	X
Sulfuric acid 7664-93-9 (64)	Present	X	X	Present	X	KE-32570	X	X

U.S. Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Water	7732-18-5	to 100%	None known
Sulfuric acid	7664-93-9	64	1.0

SARA 311/312 Hazard Categories

Acute health hazard	yes
Chronic Health Hazard	yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	yes

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Water 7732-18-5 (to 100%)	None known	None known	None known	None known
Sulfuric acid 7664-93-9 (64)	1000 lb	None known	None known	X

Chemical name	CAS-No	Weight %	HAPS data	VOC Chemicals	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Water	7732-18-5	to 100%	None known	None known	None known	None known
Sulfuric acid	7664-93-9	64	None known	None known	None known	None known

CERCLA

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ
Water	None known	None known
Sulfuric acid	1000 lb	1000 lb

U.S. State Regulations

California Proposition 65

WARNING! California Proposition 65 has classified "strong inorganic acid mists containing sulfuric acid" as a chemical known to the State of California to cause cancer. This classification applies only to "mists" containing sulfuric acid and not to sulfuric acid or sulfuric acid solutions, as in this solution.

Chemical name	CAS-No	California Prop. 65
Water	7732-18-5	None known
Sulfuric acid	7664-93-9	Carcinogen

Chemical name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	None known	None known	None known	None known	None known
Sulfuric acid	X	X	X	X	X

International Regulations

Mexico - Grade

Chemical name	Carcinogen Status	Exposure Limits
Water	None known	None known
Sulfuric acid	A2	Mexico: TWA 1 mg/m ³

CANADA

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

Component	WHMIS Hazard Class
Water 7732-18-5 (to 100%)	Uncontrolled product according to WHMIS classification criteria
Sulfuric acid 7664-93-9 (64)	1 % D1A,E



Chemical name	NPRI
Sulfuric acid	X

16. OTHER INFORMATION

NFPA	HMIS	PPE	Transport Symbol						
	<table border="1"> <tr> <td>Health Hazard</td> <td style="text-align: center;">3</td> </tr> <tr> <td>Fire Hazard</td> <td style="text-align: center;">0</td> </tr> <tr> <td>Reactivity</td> <td style="text-align: center;">2</td> </tr> </table>	Health Hazard	3	Fire Hazard	0	Reactivity	2		
Health Hazard	3								
Fire Hazard	0								
Reactivity	2								

Prepared by
Issuing Date
Revision date
Revision note

Regulatory Affairs Department
12/10/2010
06-Dec-2013
MSDS was reviewed per Canada request - Canada requires MSDS to be dated within 3 years of the request.

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS